



MEMBER OF:

AMERICAN ASSN. OF NURSERYMEN
PLANT PROPAGATOR'S SOCIETY
N. E. NURSERYMEN'S ASSN.
R. I. NURSERYMEN'S ASSN.


C. HOOGENDOORN

WHOLESALE NURSERYMAN

408 TURNER ROAD

NEWPORT, R. I.

TELEPHONE 847-3405



50 ACRES
GENERAL LINE OF
EVERGREENS AND SHRUBS

SPECIALIZING IN LINING-OUT
STOCK AND NOVELTIES

ESTABLISHED 1925

FALL, 1962

July 20, 1962

SPRING, 1963

LINING-OUT STOCK & LANDSCAPE MATERIAL

* - * - * - * - * - * - * - * - * - * - * - * - *
- ITEMS SUITABLE FOR MAIL ORDER TRADE AND CANNING -
* ARE LISTED SEPARATELY ON THE ATTACHED PINK SHEET. *
- * - * - * - * - * - * - * - * - * - * - * - *

LINING-OUT STOCK

| | Per 100
(each) | Per 1000
(each) |
|---|-------------------|--------------------|
| <u>ACER</u> palmatum atropurpureum (Dark Red Japanese Maple) | | |
| 500 selected types, strong 2 yr. grafts | \$ 1.50 | \$ |
| 750 Bloodgood (very dark red Japanese Maple), very scarce,
strong 2 yr. grafts, 15-18" | 1.75 | |
| 250 dissectum atropurpureum (Red Cutleaf Japanese Maple),
strong 2 yr. grafts | 2.00 | |
| 250 Oshiu Beni (light red Japanese Maple), very desirable,
2 yr. grafts | 1.50 | |
| <u>ALTHEA</u> (Rose of Sharon) | | |
| 250 Cape Cod Skies (blue), 1 yr. grafts | .25 | |
| 250 Lady Stanley (semi-double white with pink center),
1 yr. grafts | .25 | |
| 250 W. R. Smith (large single white), 1 yr. grafts | .25 | |
| 250 Woodbridge (large single pink), 1 yr. grafts | .25 | |
| <u>AZALEA</u> | | |
| 500 amoena (purplish-red), 1 yr. T, bedded | .40 | .35 |
| 1,000 fedora (large deep pink), 1 yr. T, bedded | .40 | .35 |
| 500 hinocrimson (fiery red), 1 yr. T, bedded | .40 | .35 |
| 200 kaempferi (various shades of salmon pink), 3 yr. TT | .50 | |
| 500 ledifolia alba (white)(true), 1 yr. T, bedded | .40 | .35 |
| 1,000 mucronulatum (lavender), earliest flowering, 3 yr. TT | .50 | .45 |
| 250 Othello (brick-red), 1 yr. T, bedded | .40 | .35 |
| 750 poukhanensis (orchid), 3 yr. TT | .50 | .45 |
| <u>BERBERIS</u> | | |
| 400 atropurpureum (Crimson Pigmy), 2 yr. T, 4-6" | .25 | |
| <u>CEDRUS</u> | | |
| 500 atlantica glauca (Blue Atlas Cedar), 1 yr. grafts | 1.00 | |
| 150 libani (Cedar of Lebanon)(scions taken from trees in
Boston area), 1 yr. grafts | 1.50 | |
| <u>CHAMAECYPARIS</u> | | |
| 350 obtusa gracilis nana (Dwarf Hinoki Cypress), 1 yr. grafts | 1.00 | |
| <u>CLEMATIS</u> | | |
| 250 Montana Rubens (Pink Anemone Clematis), 2 yr., field
grown, staked, 3-4' | 1.00 | |

LINING-OUT STOCK - continued

Per 100
(each)

Per 1000
(each)

| | | | |
|--|---|-----|---|
| * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * | | | |
| - | CLEMATIS MONTANA TETRAROSE (NEW) | | - |
| * | (Large lively pink flowers, 3-3½ inches across) | | * |
| - | Tetrarose is a tetraploid of Clematis Montana Rubens. It is a | | - |
| * stronger grower, has stronger vines and larger flowers than Mon- | | | * |
| - tana Rubens. This variety has large marbled leaves, blooms | | | - |
| * around Memorial Day and is very desirable. | | | * |
| - | 250 rooted cuttings out of 2½ in. pots | .75 | - |
| * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * | | | |

CORNUS

| | | | |
|-------|---|--------|--------|
| 1,000 | elegantissima (true) (variegated foliage, bright red stem), 2 yr. T, 18-24" | \$.30 | \$.25 |
| 250 | florida pyramidalis (White Upright Growing Dogwood), 1 yr. grafts | .60 | |
| 250 | " " 2 yr. grafts | .75 | |
| 100 | " rubra (Pink-flowering Dogwood), 1 yr. grafts | .60 | |
| 250 | " " (" " " "), 2 yr. grafts | .75 | |
| 500 | kousa chinensis (Chinese Kousa Dogwood), 1 yr. grafts | .75 | |
| 250 | " " (" " " "), 2 yr. T | 1.25 | |

COTONEASTER

| | | | |
|-------|---------------------------|-----|-----|
| 1,000 | horizontalis, 1 yr. sdls. | .15 | .12 |
| 500 | " prostrata, 1 yr. sdls. | .18 | .15 |

* - * - * - * - * - * - * - * - * - * - * - * - * - * - * - *

-

COTONEASTER PRAECOX

* This is one of the hardiest Cotoneasters and went through 20 degrees below*
 - zero without any harm. It has large berries like cranberries which color -
 * up in the middle of August and remain on until very late Fall. It grows *
 - rather flat and makes an ideal plant to mix in with foundation plantings, -
 * especially around ranch type houses. It also makes an ideal low spreading*
 - hedge.

| | | | | |
|---|----------------------|-----|-----|---|
| * | 1,500 2 yr. T, 6-12" | .50 | .45 | * |
| - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * | | | | |

CRYPTOMERIA

| | | | |
|-----|-------------------------------------|------|--|
| 150 | lobbi compacta, strong 1 yr. grafts | 1.00 | |
|-----|-------------------------------------|------|--|

CYTISUS

| | | | |
|-----|--|-----|--|
| 500 | praecox (Warminster Broom) (creamy white), 1 yr. T | .60 | |
|-----|--|-----|--|

EUONYMUS

| | | | |
|-------|--|-----|-----|
| 2,500 | alatus compacta (Dwarf-Winged Euonymus), 2 yr. T, 10-15" | .30 | .25 |
| 500 | sarcocoe, 1 yr. T | .30 | .25 |
| 5,000 | vegetus, strong 1 yr. T, 6-9" | .30 | .25 |

FAGUS SYLVATICA (European Beech)

| | | | |
|-----|---|------|--|
| 250 | asplenifolia (Fernleaf Beech), 2 yr. grafts | 1.50 | |
| 150 | pendula (Green Weeping Beech), 2 yr. grafts | 1.50 | |
| 250 | pyramidalis (Pyramid Green Beech), 2 yr. grafts | 1.50 | |
| 500 | riversi (River's Purple Beech), 2 yr. grafts | 1.50 | |

FORSYTHIA

| | | | |
|-----|--|-----|-----|
| 500 | Lynwood Gold, 1 yr. T, softwood cuttings, 15-18" | .18 | .15 |
|-----|--|-----|-----|

HYDRANGEA

* - * - * - * - * - * - * - * - * - * - * - * - * - * - * - *

-

HYDRANGEA HORTENSIS COMPACTA

* After testing a number of varieties of Hydrangea hortensis over the *
 - years Hydrangea hortensis compacta has turned out to be the hardiest -
 * and most dependable bloomer. The flowers are pink when the plants *
 - are grown in a neutral soil and blue when grown in an acid soil. -

| | | | | |
|---|-------------|-----|-----|---|
| * | 350 1 yr. T | .45 | .40 | * |
| - | 350 2 yr. T | .75 | .60 | - |

* - * - * - * - * - * - * - * - * - * - * - * - * - * - * - *

LINING-OUT STOCK - continued

| | Per 100
(each) | Per 1000
(each) |
|--|-------------------|--------------------|
| <u>HYDRANGEA</u> | | |
| 500 Nikko Blue, 2 yr. bedded | \$.75 | \$.60 |
| 250 variegated (blue), 1 yr. TC | .45 | |
| 1,000 petiolaris, 1 yr. pot-grown, 2½" pots | .50 | .45 |
| <u>ILEX AQUIFOLIUM (HARDY) (ENGLISH HOLLY)</u> | | |
| 350 aquifolium female, 1 yr. T | .45 | |
| 250 " " , 2 yr. T | .75 | |
| 250 " male, 1 yr. T | .45 | |
| 200 " " , 2 yr. T | .75 | |
| 250 J. S. Esson, 1 yr. T | .45 | |
| 250 " " " , 2 yr. T | .75 | |
| > 100 Judge Brown No. 7, female, 1 yr. T | .45 | |
| > 200 " " " 9, male, 1 yr. T | .45 | |
| > 200 New York Botanical Gardens, male, 2 yr. T | .75 | |
| 500 pyramidalis, 1 yr. T | .45 | |
| 175 " , 2 yr. T | .75 | |
| <u>ILEX CRENATA (JAPANESE HOLLY)</u> | | |
| 250 crenata, (true, cutting grown), 1 yr. T | .25 | .20 |
| 250 " (" " "), 2 yr. T | .35 | .20 |
| 500 compacta, 1 yr. T | .25 | .20 |
| 500 " , 2 yr. T | .35 | .30 |
| 500 convexa, 1 yr. T | .25 | .20 |
| 500 " , strong 2 yr. T | .35 | .30 |
| 750 helleri, strong 2 yr. T, 4-6" | .35 | .30 |
| 500 hetzi, 1 yr. T | .25 | .20 |
| 250 " , strong 2 yr. T | .35 | .30 |
| 500 rotundifolia, 1 yr. T | .25 | .20 |
| <u>ILEX OPACA (AMERICAN HOLLY)</u> | | |
| 200 opaca, male, 1 yr. T | .45 | |
| 200 " " , 2 yr. T | .75 | |
| 250 Farrage, 1 yr. T | .45 | |
| 200 " , 2 yr. T | .75 | |
| 250 Old Heavy Berry (Hookstraw), 1 yr. T | .45 | |
| 250 " " " (" "), 2 yr. T | .75 | |
| 350 St. Mary, 1 yr. T | .45 | |
| 200 " " , 2 yr. T | .75 | |
| 200 Yule, 1 yr. T | .45 | |
| 100 " , 2 yr. T | .75 | |
| <u>JUNIPER</u> | | |
| 500 andorra, 2 yr. T | .35 | .30 |
| 250 chinensis Blauwii, 1 yr. grafts | .75 | |
| 200 hetzi, 2 yr. T | .35 | |
| 200 pfitzeriana glauca, 2 yr. T | .35 | |
| 500 San Jose, 1 yr. grafts | .75 | |
| 400 sargentii, 1 yr. grafts | .60 | |
| <u>LEUCOTHOE</u> | | |
| 1,000 catesbaei, 3 yr. TT | .40 | .35 |
| 500 Rainbow, 3 yr. TT | .60 | .50 |
| <u>MAGNOLIA</u> | | |
| 250 alexandrina (large light rose-purple), 1 yr. grafts | .90 | |
| 500 conspicua (Denudata) (finest pure white, blooms early May) | | |
| 1 yr. grafts | .90 | |
| 250 " 2 yr. grafts | 1.25 | |
| 250 Dr. Merrill (NEW) (M. KOBUS X stellata, white), 2 yr. T, | | |
| 15-18" | 1.00 | |
| 350 lennei (large rich rose-purple), 2 yr. grafts | 1.25 | |
| 100 rustica rubra (pale purple globular flowers), 2 yr. gr. | 1.25 | |

| LINING-OUT STOCK - continued | | Per 100
(each) | Per 1000
(each) |
|---|---|-------------------|--------------------|
| <u>MAGNOLIA</u> | | | |
| 1,000 | soulangiana (pinkish), 2 yr. T | \$.60 | \$.50 |
| 100 | soulangiana alba (white), 2 yr. T | .60 | |
| 250 | stellata (early white), 1 yr. grafts | .90 | |
| 250 | verbanica (deep pink), 1 yr. grafts | .90 | |
| <u>MALUS</u> (Flowering Crab) | | | |
| 250 | almey (red), 1 yr. grafts | .25 | |
| 250 | hopa (pink), 1 yr. grafts | .25 | |
| 250 | Prince George (Improved Betchel Double Pink), 1 yr. grafts. | .25 | |
| <u>PICEA</u> (Spruce) | | | |
| 350 | conica glauca (Dwarf Alberta Spruce), 2 yr. grafts, 6-10" | 1.25 | |
| 500 | moerheimi, strong 1 yr. grafts | 1.50 | |
| * - * - * - * - * - * - * - * - * - * - * - * | | | |
| | PIERIS JAPONICA (Andromeda Japonica) | - | |
| | * We collect our own seed from only the best and | * | |
| | - healthiest plants insuring strong uniform plants. | - | |
| | * 2,500 3 yr. TT, 9-12" | .45 .40 | * |
| * - * - * - * - * - * - * - * - * - * - * - * | | | |
| | PIERIS JAPONICA (Pink Andromeda) | * | |
| | - Decidedly pink in bud and when the flower first | - | |
| | * opens up, then fades to white. Slower and more | * | |
| | - compact grower than the regular Pieris japonica. | - | |
| | * 200 3 yr. TT | .50 each | * |
| * - * - * - * - * - * - * - * - * - * - * - * | | | |
| <u>PINUS</u> (Pine) | | | |
| 350 | cembra (Swiss Stone Pine), 1 yr. grafts | 1.25 | |
| 250 | parviflora glauca (Japanese White Pine), 1 yr. grafts | 1.25 | |
| <u>PRUNUS</u> | | | |
| 500 | kwanzan (Japanese Flowering Cherry), 2 1/4" peat pots | .40 | |
| 1,500 | " (" " "), 2 yr. T, 6-7', | | |
| | staked on 3' stems | 1.50 | 1.25 |
| 2,500 | maritima (Beach Plum), strong 1 yr. sdls., 10-18" | .18 | .15 |
| <u>RHODODENDRON</u> | | | |
| 500 | carolinianum, 3 yr. TT | .60 | |
| 500 | carolinianum alba, 3 yr. TT | .60 | |
| 500 | catawbiense compacta, 3 yr. TT | .50 | .45 |
| 500 | virgin, 3 yr. TT | .50 | .45 |
| 250 | wilsoni (dwarf), 2 yr. T, 6-9" | .75 | |
| * - * - * - * - * - * - * - * - * - * - * - * | | | |
| | RHUS COTINUS ROYAL PURPLE | - | |
| | * (NEW dark purple-red leaf Smokebush) | * | |
| | - 500 1 yr. grafts bedded, 15-18" (Good size | - | |
| | * for canning) | .75 .60 | * |
| * - * - * - * - * - * - * - * - * - * - * - * | | | |
| <u>TAXUS</u> (Japanese Yew) | | | |
| 500 | baccata repandens (Spreading English Yew), 2 yr. grafts | .45 | .40 |
| 500 | " " (" " "), 3 yr. T, | | |
| | bedded and cutback | .45 | .40 |
| 1,000 | brevifolia nana (Dwarf Japanese Yew), 2 yr. T | .25 | .20 |
| 500 | " " (" " "), 3 yr. bedded | | |
| | and cutback | .35 | .30 |
| 750 | " " (Dwarf Japanese Yew), 5 yr. TT | .60 | .55 |
| 1,500 | browni, 2 yr. T | .25 | .20 |
| 500 | " , 3 yr. bedded and cutback | .35 | .30 |
| 500 | " , 5 yr. TT | .60 | .55 |

LINING-OUT STOCK - continued

Per 100
(each)Per 1000
(each)TAXUS (Japanese Yew)

| | | | | |
|---|-------------|--|--------|--------|
| * - * - * - * - * - * - * - * - * - * - * - * - * | | | | |
| - TAXUS CAPITATA | | | | - |
| * (Upright Japanese Yew) | | | | * |
| - | 5,000 | 1 yr. sdls. | .04 | .03 - |
| * 10,000 strong 2 yr. selected sdls. | | | | * |
| - (Seed sown lightly. Plants grown | | | | - |
| * with plenty of room in beds) | | | .06 | .05 * |
| - | 1,500 | 3 yr. sdls. | .09 | .07½ - |
| * 1,500 6 yr. TT, 15-18" | | | .75 | .60 * |
| - * - * - * - * - * - * - * - * - * - * - * - * | | | | - |
| 1,000 | cuspidata | (Spreading Japanese Yew), 3 yr. T, bedded and cutback | \$.35 | \$.30 |
| 5,000 | densiformis | (Spreading Japanese Yew), dense grower, 2 yr. T | .25 | .20 |
| 2,500 | " | (" " " ") 3 yr. T, bedded and cutback | .35 | .30 |
| 2,500 | " | (" " " "), 4 yr TT, bedded | .45 | .40 |
| 5,000 | " | (" " " "), 5 yr. TT | .60 | .55 |
| 5,000 | hatfieldi | (Upright Hatfield Yew), 2 yr. T | .25 | .20 |
| 1,000 | " | (" " " "), 3 yr. T, bedded and cutback | .35 | .30 |
| 1,000 | " | (" " " "), 5 yr. TT | .60 | .55 |
| 1,000 | intermedia | (Spreading Japanese Yew), 3 yr. T, bedded and cutback | .35 | .30 |
| 500 | " | (" " " "), 5 yr. TT | .60 | .55 |
| 5,000 | nigra | (outstanding Dark Green compact spreading Japanese Yew), 2 yr. T | .30 | .25 |
| 500 | sebian | (Spreading Japanese Yew), 2 yr. T, dense grower | .25 | .20 |

(SPECIAL PRICES ON LARGE QUANTITIES OF TAXUS)

THUJA (Arborvitae)

| | | | | |
|-------|-------------|---|-----|-----|
| 2,500 | nigra | (Dark American Arborvitae), 2 yr. T, 10-15" | .40 | .35 |
| 400 | pyramidalis | (Pyramid Arborvitae), 2 yr. T, 10-15" | .40 | |

TSUGA (Hemlock)

| | | | | |
|-------|--------------------|---|------|-----|
| 1,500 | macrophylla | , 4 yr. T | .50 | .45 |
| 250 | " | , 6 yr. TT | .75 | |
| 1,000 | canadensis pendula | , variety Sargent (Sargent Weeping Hemlock), 1 yr. grafts | 1.00 | |

VIBURNUM

| | | | | |
|--|----------------|---|-----|-------|
| 500 | carlesi | , 3 yr. T, 12-18" branched | .75 | .60 |
| * - * - * - * - * - * - * - * - * - * - * - * - * | | | | |
| - VIBURNUM CARLESI COMPACTA (NEW) | | | | - |
| * This is a compact form of Viburnum carlesi with dark | | | | * |
| - green leaves and buds up very readily. | | | | - |
| * 1,000 2 yr. T, bedded | | | .50 | .45 * |
| - 100 2 yr. grafts | | | .90 | - |
| * - * - * - * - * - * - * - * - * - * - * - * - * | | | | |
| 500 | chenaulti | , 1 yr. T | .25 | .20 |
| 150 | " | , 2 yr. T | .40 | |
| 250 | plicatum | (Japanese Snowball), 1 yr. T | .25 | |
| 250 | " | (" " " "), 2 yr. T, 15-18", bedded | .30 | |
| 500 | rhytidophyllum | (Leatherleaf Viburnum), 1 yr. T | .25 | |
| 500 | setigerum | (Theiferum)(Tea Viburnum), 1 yr. T | .25 | .20 |
| 500 | " | (" " " "), 2 yr. T, cuttings, 18-24", bedded | .35 | .30 |
| 250 | sieboldi | , 1 yr. T | .25 | |
| 1,500 | tomentosum | (true)(Doublefile Viburnum), 1 yr. T | .20 | .17½ |
| 1,000 | " | (" " " "), 2 yr. T, 15-18" bedded and cutback | .25 | .20 |
| 100 | wrighti | , 2 yr. grafts | .75 | |

LINING-OUT STOCK - continued

| | Per 100
(each) | Per 1000
(each) |
|--|-------------------|--------------------|
|--|-------------------|--------------------|

VITEX

250 microphylla, 1 yr. T, cutting grown

\$.30

\$.25

WEIGELA

500 Vaniceki, 1 yr. T, softwood cuttings

.18

.15

WISTERIA

250 sinensis (blue), 1 yr. grafts

.75

250 sinensis Jako (fragrant white), 1 yr. grafts

.75

LANDSCAPE MATERIALACER (Red Japanese Maple)

350 palmatum atropurpureum, selected types, 15-18"

2.50

200 " " " " " 18-24"

3.00

50 " " " " " 2½-3', B&B

5.00

AESCULUS

50 carnea (Pink Horsechestnut), 4-5', B&B

5.00

ALTHEA

50 Cape Cod Skies (blue), 15-18", B.R.

.75

200 Lady Stanley (semi-double white with pink center),

18-24", B&B, heavy

1.25

2-2½', B&B, heavy

1.50

100 W. R. Smith (large single white), 18-24", B&B, heavy

1.25

AZALEA

200 ledifolia alba (white), 12-15"

1.25

100 Sherwood Red, 18-24"

2.50

BUXUS (Boxwood)

250 sempervirens (true)(hard sheared globes), 16-18"

2.50

CHAMAECYPARIS

150 obtusa gracilis, 18-24"

2.50

CLEMATIS250 Montana Rubens (Pink Anemone Clematis), 2 yr., field
grown, staked, 3-4'

1.00

CORNUS

250 kousa, 2-2½', B&B

2.50

COTONEASTER

250 divaricata, 18-24", B&B, heavy

1.25

200 " " 2-2½', B&B, heavy

1.50

125 horizontalis purpesilla, 15-18", B&B

2.00

750 praecox, 15-18"

2.00

350 " " 18-24"

2.50

EPEMEDIIUM (Good for planting under Rhododendrons)

2,500 rubrum (red), 1 yr.

.45

.40

ERICA CARNEA WINTERBEAUTY - (SOLD OUT FOR FALL, 1962-SPRING, 1963)EUONYMUS

250 alatus compacta, 18-24", B&B

1.25

15 " " " 4-5', B&B

3.00

FAGUS SYLVATICA (European Beech)

50 asplenifolia (Fernleaf Beech), 2½-3', B&B

4.00

10 bicolor, 2½-3', B&B

3.50

10 pendula (Weeping Green Beech), 5-6', B&B

7.50

25 pyramidalis (Pyramid Green Beech), 3-4', B&B

4.00

100 riversi (River's Purple Beech), 2½-3', B&B

3.50

100 " (" " ") , 3-4', B&B

4.00

FORSYTHIA

200 Beatrice Farrand, 3-4', B&B

1.25

300 Lynwood Gold, 3-4', B&B

1.25

LANDSCAPE MATERIAL - continued

Per 100
(each)Per 1000
(each)

| | | | |
|---|------|------|---|
| * - * - * - * - * - * - * - * - * - * - * - * | | | |
| - HELLEBORUS NIGER (Christmas Rose) | - | | |
| * Suitable for mail order trade and to pot up for road- | * | | |
| - side stand sales. | - | | |
| * 5,000 2 yr. T | .40 | .35 | * |
| - 10,000 3 yr. T, blooming size | .50 | .45 | - |
| * - * - * - * - * - * - * - * - * - * - * - * | | | |
| - HELLEBORUS ORIENTALIS ATORORUBENS | - | | |
| * (Purplish-red flowers) | * | | |
| - 1,000 2 yr. T | 1.50 | 1.25 | - |
| * - * - * - * - * - * - * - * - * - * - * - * | | | |

HYDRANGEA

| | | |
|--|--------|--------|
| 350 hortensis compacta (blue), 2 yr. T | \$.75 | \$.60 |
| 500 Nikko Blue, 2 yr. bedded | .75 | .60 |

ILEX

| | | |
|---|------|--|
| 100 aquifolium (Hardy English Holly), female, 15-18",
bushy, B&B | 2.50 | |
| 50 crenata, 18-24" | 2.50 | |
| 150 crenata compacta, 12-15" | 2.00 | |
| 50 " convexa, 15-18" | 2.00 | |
| 100 " hetzi, 18-24" | 2.50 | |
| 50 " latifolia, 15-18" | 2.00 | |
| 100 " " , 18-24" | 2.50 | |
| 50 " " , 2-2½' | 3.00 | |
| 25 " rotundifolia, 15-18" | 2.00 | |
| 25 " " , 18-24" | 2.50 | |
| 50 opaca (American Holly), male, 15-18", cutback, B&B | 2.50 | |
| 20 " (" "), St. Mary, 12-15", B&B | 2.00 | |

JUNIPER

| | | |
|----------------------|------|--|
| 250 andorra, 18-24" | 2.50 | |
| 200 hetzi, 18-24" | 2.50 | |
| 250 San Jose, 15-18" | 2.50 | |

LEUCOTHOE

| | | |
|----------------------------|------|--|
| 250 catesbaei, 15-18", B&B | 2.00 | |
| 100 Rainbow, 12-15", B&B | 2.00 | |

MALUS (Flowering Crab)

| | | |
|--|------|--|
| 50 Prince George (Improved Betchel Double Pink), 3-4', B&B | 2.50 | |
|--|------|--|

PACHYSTIMA

| | | |
|------------------------------|-----|-----|
| 1,000 canbyi, strong 2 yr. T | .45 | .40 |
|------------------------------|-----|-----|

PICEA (Spruce)

| | | |
|--|-------|--|
| 150 conica glauca (Dwarf Alberta Spruce), 15-18" | 3.00 | |
| 50 hoopsi (Bluest of all Blue Spruces), 3-3½', B&B | 20.00 | |

PIERIS (Andromeda Japonica)

| | | |
|----------------------|------|--|
| 250 japonica, 12-15" | 1.50 | |
| 250 " , 15-18" | 2.00 | |
| 500 " , 18-24" | 2.50 | |
| 500 " , 2-2½' | 3.00 | |
| 100 " , 2½-3' | 3.50 | |

PINUS (Pine)

| | | |
|---|------|--|
| 250 thunbergi (Japanese Black Pine), 18-24" | 2.00 | |
|---|------|--|

PRUNUS

| | | |
|--|------|------|
| 30 amanogawa (Japanese Flowering Cherry, Semi-Double Pink),
grows narrow upright like Lombardy Poplar,
6-7', B&B | 5.00 | |
| 1,500 kwanzan (Japanese Flowering Cherry, Double Pink),
2 yr. T, 6-7', 3' stems, staked, BR | 1.50 | 1.25 |
| 50 triloba, 3', heavy, B&B | 3.00 | |

| LANDSCAPE MATERIAL - continued | | Per 100
(each) | Per 1000
(each) |
|---|--|-------------------|--------------------|
| <u>PSEUDOTSUGA</u> (Blue Douglas Fir) | | | |
| 75 | taxifolia glauca, 2-2½' | \$ 2.00 | \$ |
| 75 | " " , 2½-3' | 2.50 | |
| <u>RHODODENDRON</u> | | | |
| 50 | wilsoni (dwarf), 15", B&B | 3.00 | |
| * - * - * - * - * - * - * - * - * - * - * - * - * | | | |
| - | RHUS COTINUS ROYAL PURPLE | - | |
| * | (NEW dark purple-red leaf Smokebush) | * | |
| - | 500 18-24", B.R. | 1.25 | 1.00 |
| * - * - * - * - * - * - * - * - * - * - * - * - * | | | |
| <u>RHUS</u> (Sumac) | | | |
| 10 | typhina laciniata (Cutleaf Sumac), 4-5', B&B | 4.00 | |
| <u>SORBUS</u> (European Mt. Ash) | | | |
| 150 | aucuparia, 5-6', B&B | 2.50 | |
| 150 | " , 6-7', B&B | 3.50 | |
| <u>TAXUS</u> (Japanese Yew) | | | |
| 50 | baccata repandens (Spreading English Yew), 15-18" | 2.25 | |
| 250 | brevifolia nana (Dwarf Japanese Yew), 10-12", B&B | 1.25 | |
| 200 | " " (" " "), 12-15" | 1.50 | |
| 200 | capitata (Upright Japanese Yew), 2-2½' | 3.50 | |
| 500 | cuspidata (Spreading Japanese Yew), 15-18" | 2.00 | |
| 5,000 | densiformis (Spreading Japanese Yew), dense grower,
5 yr. B&B, Nursery Rows | 1.50 | 1.25 |
| 500 | " , 15-18" | 2.50 | |
| 750 | " , 18-24" | 3.00 | |
| 1,000 | hatfieldi (Upright Hatfield Yew), 5 yr. B&B, Nursery
Rows | 1.50 | 1.25 |
| 500 | " , 15-18" | 2.50 | |
| 500 | " , 18-24" | 3.00 | |
| 250 | hicksi (Hick's Yew), 18-24" | 3.00 | |
| 200 | intermedia (Spreading Japanese Yew), 12-15" | 1.50 | |
| 500 | " (" " "), 15-18" | 2.00 | |
| 250 | nigra (Outstanding Dark Green compact spreading Japanese
Yew), 18-24" | 3.00 | |
| <u>THUJA</u> (Arborvitae) | | | |
| 500 | (Biota) aurea nana, 12-15" | 1.50 | |
| 250 | woodwardi, 15-18" | 1.50 | |
| 150 | " , 18-24" | 2.00 | |
| <u>TSUGA</u> (Hemlock) | | | |
| 50 | macrophylla, 15-18" | 3.00 | |
| <u>VIBURNUM</u> | | | |
| 500 | carlesi compacta, 15-18", B&B | 2.00 | |
| 150 | " " , 18-24", B&B | 2.50 | |
| 50 | rhytidophyllum, 18-24", B&B | 2.00 | |
| 75 | setigerum, 2-2½', B&B | 1.25 | |
| 250 | wrighti, 18-24", B.R. | 1.00 | |
| 250 | " , 2-2½', B.R. | 1.25 | |
| 50 | " , 3-4', B&B | 3.00 | |

* - * - * - * - * - * - * - * - * - * - * - * - *

All nursery stock offered is certified and can be shipped anywhere in the U. S. Orders cannot be accepted for landscape size shrubs and B&B stock which require boxing or baling. Such stock should be picked up at the nursery or arrangements made for truck delivery.

Prices are F.O.B., Newport, R. I.

Terms: 2%, 10 days, net 30 days

1-249 take the 100 rate

250 and up take the 1,000 rate

I MAKE NO CHARGE FOR PACKING. IT IS PART OF MY FRIENDLY SERVICE.

"WHERE QUALITY EXCELS"

STOCK SUITABLE FOR MAIL ORDER TRADE

The following items are suitable for the mail order trade and for canning. They adapt themselves for these purposes because of the varieties and their sizes.

| | | Per 100
(each) | Per 1000
(each) |
|-------|---|-------------------|--------------------|
| 500 | <i>Acer palmatum atropurpureum</i> (Dark Red Japanese Maple),
selected types, strong 2 yr. grafts | \$ 1.50 | \$ |
| 750 | " " <i>Bloodgood</i> (very dark red Japanese Maple),
very scarce, strong 2 yr. grafts, 15-18" | 1.75 | |
| 250 | " " <i>dissectum atropurpureum</i> (Red Cutleaf
Japanese Maple), strong 2 yr. grafts | 2.00 | |
| 250 | " " <i>Oshiu Beni</i> (light red Japanese Maple),
very desirable, 2 yr. grafts | 1.50 | |
| 400 | <i>Berberis atropurpureum</i> (Crimson Pigmy), 2 yr. T, 4-6" | .25 | |
| 350 | <i>Chamaecyparis obtusa gracilis nana</i> (Dwarf Hinoki Cypress),
1 yr. grafts | 1.00 | |
| 250 | <i>Clematis Montana Rubens</i> (Pink Anemone Clematis), 2 yr.,
field grown, staked, 3-4' | 1.00 | |
| 250 | " " <i>Tetrazose</i> (NEW), lively pink flowers
3-3½ in. across, rooted cuttings out of
2½ in. pots | .75 | |
| 1,000 | <i>Cornus elegantissima</i> (true)(variegated foliage, bright red
stem), 2 yr. T, 18-24" | .30 | .25 |
| 250 | " <i>florida pyramidalis</i> (White Upright Growing Dogwood),
2 yr. grafts | .75 | |
| 250 | " " <i>rubra</i> (Pink-flowering Dogwood), 2 yr. grafts | .75 | |
| 250 | " <i>kousa chinensis</i> (Chinese Kousa Dogwood), 2 yr. T | 1.25 | |
| 1,500 | <i>Cotoneaster praecox</i> , 2 yr. T, 6-12" | .50 | .45 |
| 500 | <i>Cytisus praecox</i> (Warminster Broom)(creamy white), 1 yr. T | .60 | |
| 2,500 | <i>Euonymus alatus compacta</i> (Dwarf-Winged Euonymus), 2 yr. T,
10-15" | .30 | .25 |
| 5,000 | " <i>vegetus</i> , strong 1 yr. T, 6-9" | .30 | .25 |
| 250 | <i>Fagus sylvatica asplenifolia</i> (Fernleaf Beech), 2 yr. grafts | 1.50 | |
| 150 | " " <i>pendula</i> (Green Weeping Beech), 2 " " | 1.50 | |
| 250 | " " <i>pyramidalis</i> (Pyramid Green Beech, 2 yr. gr.) | 1.50 | |
| 500 | " " <i>riversi</i> (River's Purple Beech), 2 yr. gr. | 1.50 | |
| 500 | <i>Forsythia Lynwood Gold</i> , 1 yr. T, softwood cuttings, 15-18" | .18 | .15 |
| 350 | <i>Hydrangea hortensis compacta</i> , 2 yr. T | .75 | .60 |
| 500 | " <i>Nikko Blue</i> , 2 yr. bedded | .75 | .60 |
| 1,000 | " <i>petiolaris</i> , 1 yr. pot-grown, 2½" pots | .50 | .45 |
| | <i>Ilex aquifolium</i> (Hardy)(English Holly - refer to page 3
for list of varieties of 2 yr. T | .75 | |
| | <i>Ilex crenata</i> (Japanese Holly) - refer to page 3 for list
of varieties of 2 yr. T | .35 | .30 |
| | <i>Ilex opaca</i> (American Holly) - refer to page 3 for list of
varieties of 2 yr. T | .75 | |
| 1,000 | <i>Leucothoe catesbaei</i> , 3 yr. TT | .40 | .35 |
| 500 | " <i>Rainbow</i> , 3 yr. TT | .60 | .50 |
| | <i>Magnolia</i> - refer to page 3 & 4 for list of varieties of
2 yr. grafts and 2 yr. T | | |
| 350 | <i>Picea conica glauca</i> (Dwarf Alberta Spruce), 2 yr. grafts,
6-10" | 1.25 | |
| 2,500 | <i>Pieris japonica</i> (Andromeda Japonica), 3 yr. TT, 9-12" | .45 | .40 |
| 1,500 | <i>Prunus kwanzan</i> , 2 yr. T, 6-7', staked on 3' stems | 1.50 | 1.25 |
| 500 | <i>Rhododendron carolinianum</i> , 3 yr. TT | .60 | |
| 500 | " <i>carolinianum alba</i> , 3 yr. TT | .60 | |
| 500 | " <i>catawbiense compacta</i> , 3 yr. TT | .50 | .45 |
| 500 | " <i>virgin</i> , 3 yr. TT | .50 | .45 |
| 250 | " <i>wilsoni</i> (dwarf), 2 yr. T, 6-9" | .75 | |
| 500 | <i>Rhus cotinus Royal Purple</i> , 1 yr. grafts bedded | .75 | .60 |
| 2,500 | <i>Thuja nigra</i> (Dark American Arborvitae), 2 yr. T, 10-15" | .40 | .35 |
| 400 | " <i>pyramidalis</i> (Pyramid Arborvitae), 2 yr. T, 10-15" | .40 | |
| 250 | <i>Tsuga macrophylla</i> , 6 yr. TT | .75 | |
| 500 | <i>Viburnum carlesi</i> , 3 yr. T, 12-18", branched | .75 | .60 |
| 1,000 | " <i>carlesi compacta</i> (NEW), 2 yr. T, bedded | .50 | .45 |
| 500 | " <i>rhytidophyllum</i> (Leatherleaf Viburnum), 1 yr. T | .25 | |
| 500 | " <i>setigerum</i> (Theiferum)(Tea Viburnum), 2 yr. T,
cuttings, 18-24", bedded | .35 | .30 |
| 1,500 | " <i>tomentosum</i> (true)(Doublefile Viburnum), 1 yr. T | .20 | .17½ |
| 1,000 | " " (") (") ("), 2 yr. T,
15-18", bedded and cutback | .25 | .20 |
| 250 | <i>Vitex microphylla</i> , 1 yr. T, cutting grown | .30 | .25 |
| 500 | <i>Weigela Vaniceki</i> , 1 yr. T, softwood cuttings | .18 | .15 |
| 250 | <i>Wisteria sinensis</i> (blue), 1 yr. grafts | .75 | |
| 250 | " " <i>Jako</i> (fragrant white), 1 yr. grafts | .75 | |

